## Vermont Forest Health



# **Emerald Ash Borer: Information for Vermont Landowners**

Department of Forests, Parks, & Recreation April, 2013 <a href="https://www.vtforest.com">vtforest.com</a>

### What is emerald ash borer?

Emerald ash borer (EAB) is an exotic beetle that has been killing ash trees in North America. Native to China, eastern Russia, Japan, and Korea, it was found near Detroit in 2002.

### What kind of damage does it do?

**EAB feeds on all species of ash.** None of Vermont's native ash trees are resistant to the insect. Mountain-ash is not a host because it's not a true ash species.

It takes 2-4 years for infested trees to die. Mortality of infested trees is close to 100%. Three in a thousand ash trees may "linger" after nearby trees have died; their future is unclear.

**EAB** damages trees by boring through the inner bark. Heavy feeding by the immature, grub-like larvae blocks the movement of water and nutrients.



Infested trees die within 4 years.

Branches as small as 1" in diameter can be infested. Upper branches are often infested first.



### Will it spread to Vermont?

**EAB** is expected to spread to Vermont. With over 100 million ash trees in Vermont, it will have a significant impact.

**EAB has never been seen in the state.** No beetles have been caught on the thousands of purple panel traps that have been set out, statewide, or by any other detection methods, including visual surveys, using trap trees, and monitoring predatory wasps.

The closest known infestations are around Montreal, in Concord, NH, in the Massachusetts Berkshires, and in New York's Hudson Valley. All are within 50 miles of Vermont's border. EAB has been spreading rapidly since it was first detected.


EAB has never been found in Vermont.

The beetles are strong fliers, and good at finding ash trees. When EAB first arrived in Maryland, the infested area expanded about ½ mile per year. Within a few years, insect populations had exploded, and the infested area grew more rapidly.

**Moving firewood is the #1 cause of spread.** Other new infestations have been traced to shipments of nursery trees and logs. But all stages of the insect can travel 65 mph down the interstate inside infested wood!

**EAB would survive Vermont's winters.** It is a cold-hardy insect, native to northern China, Mongolia, and the Russian Far East. It has also become established in Ontario and northern Michigan.

Firewood movement is the #1 cause of EAB spread.



### How can I tell if I have EAB?

**Woodpecker damage to live trees may be the first sign that a tree is infested.** When feeding on EAB, woodpeckers scrape off outer bark, leaving smooth, light colored patches. If the bark is removed, S-shaped galleries weaving back and forth on the surface of the wood would be visible. The D-shaped exit holes are good EAB indicators, but are only ¼" long and hard to see.



Other health problems can kill ash trees in Vermont. Ash are susceptible to drought. An infectious disease called ash yellows is common in parts of the state.

Adult beetles are ½" long and metallic green. Under the wing covers, their abdomen is purple. Beetles are found between June and August. Information about lookalike insects is available at www.vtfpr.org/protection/documents/VTEABlookalikes 000.pdf.

If you think you might have EAB, report it. Collect and/or photograph any suspect insects. If you can't reach someone at the contact numbers below, call the EAB hotline at 1-866-322-4512.

Woodpecker damage may be the first sign that a tree is infested with EAB.

### What will happen when EAB is found in Vermont?

The first step will be to determine the size of the infested area. Most state and federal management decisions will depend on the results of this on-the-ground delineation survey.

We won't get rid of EAB by removing ash trees. This has been attempted unsuccessfully, time and again. Even when all ash within  $1\frac{1}{2}$  miles of known infested trees were cut, the beetle was soon found beyond the treatment area. Because it's accepted that established infestations cannot be eradicated, the state is unlikely to implement widespread ash tree removal.

Where EAB has spread into forest stands, most ash trees have died within 6 years. Once trees die, additional sunlight reaches the forest floor. This stimulates the growth of young trees and other plants, including non-native invasive species if they are present. While they're standing, dead ash trees may provide feeding and cavity sites for wildlife, but they also create a hazardous situation for recreational users, loggers and firewood cutters.



Landowners will be able to sell ash logs, but there will be restrictions. When a new EAB infestation is detected, a quarantine zone is established. Under current rules, ash logs can be transported out of the quarantine zone, but only to a sawmill with a "compliance agreement" to follow shipping restrictions. No restrictions apply if your woodlot is outside the quarantine zone, or if both your woodlot and the destination sawmill are within it.

In other states, log prices have been affected as much by the threat of EAB as by quarantines. Landowners harvested more ash as the insects approached, flooding the market, and driving down log prices. By the time the insect actually arrived, the easily accessible ash had already been cut. With less ash available, prices went up.

"Trap trees" can indicate whether or not your woodlot is infested. By monitoring your own trees for EAB, you will know when the risk of mortality becomes urgent. To find out how to use the girdled trap tree technique, ask your consulting forester, or contact one of the offices below. Vermont officials have no plans to remove infested trees on private land.

When EAB arrives in Vermont, landowners will still be able to sell ash logs.

### Should I cut my ash trees now?

**Don't panic.** While EAB is close to Vermont and may reach the state soon, it could be many years before it shows up in your woodlot. Consider the ecological, aesthetic, and economic value of your ash, your tolerance of risk, and your objectives for ownership. Stay abreast of new information to avoid short-sighted decisions. Visit <a href="www.vtinvasives.org">www.vtinvasives.org</a> for the latest news on EAB.

If your land is enrolled in the Use Value Appraisal program, you must follow your approved forest management plan or an approved amendment. Contact your consulting forester if you wish to change your planned activities, treatment schedule, or management objectives. Remember that the county forester needs to approve any changes before the management activity begins.

In other states, log prices have been affected as much by the threat of EAB as by quarantines.



**Work with a consulting forester to protect your interests and your forest.** Studies have shown that woodland owners who use professional forestry services before they cut make more money and are more satisfied with the results than owners who sell timber on their own.

**Plan for EAB now if you have ash.** It may take awhile to carry out your plan, especially on large ownerships. Know what's at risk: how much ash you have, its size and quality, and where it's located.

**Growing ash sawlogs is a riskier long-term investment than it used to be.** During scheduled harvests, take steps to limit your exposure to loss. Reduce the percentage of ash if it exceeds 20%. Review your diameter target (how big to grow trees before cutting them) with your forester, discussing site quality, tree condition, and markets. To keep from degrading your woodlot, retain good quality trees of a variety of species.

If you're growing trees for timber income, don't cut immature ash too early. If the trees are too small to yield high value sawlogs, you may get a better return if you allow them to grow. They will increase in volume, and may improve in grade, which will lead to a better return.

**Reassess your plan if EAB is detected in or near your county.** Keep abreast of news about the insect. The threat of imminent tree mortality increases when EAB is within 10 miles of your property.

### What else can I do?

**Spread the Don't Move Firewood message in your town.** Visitors who bring infested firewood to second homes or campgrounds near you put your trees at risk. Talk with neighbors and campground owners. Post leaflets, available through the contacts below, in your community.

Know when EAB arrives near you by supporting detection efforts. Help spread the word in your community; a variety of outreach materials are available. Participate in more formal monitoring efforts through <a href="http://vtinvasives.org/">http://vtinvasives.org/</a>.

**Think big. Take action. Encourage your town to plan ahead for EAB.** By addressing issues before EAB arrives, the loss associated with an infestation can be spread over a longer period of time. Neighboring communities can coordinate to share resources and reduce costs. See <a href="http://vtinvasives.org/tree-pests/community-preparedness">http://vtinvasives.org/tree-pests/community-preparedness</a> for more information.

### Is there any hope?

We've only known about EAB since 2002. Our knowledge about the insect is rapidly expanding. A substantial research effort is underway to improve insect management and tree survival.

Scientists are investigating natural enemies of EAB. Parasites and predators significantly reduce EAB populations. Several parasites from China have been released, and are now established in the US. As these efforts continue, the threat of EAB may be diminished.

Many healthy ash trees of all sizes are still growing in every infested state. Even where mortality has been severe, the occasional "lingering" ash has survived. Partial resistance has been found in North American blue ash. White ash is thought to be genetically diverse, providing hope that some genetic resistance may occur in that species as well.

# Ash Volume (cu-ft/acre) 0 <4000 4000-10,000 10,000-25,000 >25,000 Alien Farest Pest Explarer US Farest Service, 10/2010

Many healthy ash trees of all sizes are still growing in every infested state.

### For more information:

VT Division of Forestry: www.vtforest.com

Vermont Invasive Pests: vtinvasives.org/tree-pests

EAB Website: www.emeraldashborer.info/



For more information, contact your County Forester or:

Springfield (802) 885-8845 Rutland (802) 786-0040 Essex Junction (802) 879-6565 Barre (802) 476-0170 St. Johnsbury (802) 751-0110

Forest health and Stewardship programs in the Vermont Department of Forests, Parks, and Recreation are supported, in part, by the US Forest Service, State and Private Forestry, and conducted in partnership with the Vermont Agency of Agriculture, Food, and Markets, USDA-APHIS, the University of Vermont, cooperating landowners, resource managers, and citizen volunteers.