December 20, 2021



U.S. ENVIRONMENTAL PROTECTION AGENCY-WaterISAC ADVISORY

To: Water and Wastewater Systems, SLTT Governments and Private Sector Stakeholders

(TLP:AMBER) Cybersecurity Recommendations in Consideration of the CISA/FBI/NSA Advisory on Russian State-Sponsored Cyber Operations Against U.S. Critical Infrastructure

On December 16, 2021, the Cybersecurity and Infrastructure Security Agency (CISA), FBI, and the National Security Agency (NSA) issued a joint advisory on Russian state-sponsored cyber operations against United States critical infrastructure (see attachment for advisory AA21-350B).

What is the Purpose of the CISA/FBI/NSA Joint Advisory?

The joint advisory describes commonly observed tactics, techniques, and procedures; detection actions; incident response guidance; and mitigations. It is intended to help critical infrastructure reduce the risk presented by these threats and to encourage the adoption of a heightened state of awareness during the holidays (a time when many disconnect from work).

The joint advisory complemented a December 15, 2021 CISA Insights publication - Preparing For and Mitigating Potential Cyber Threats. It asserted that due to persistent cyber-threats from sophisticated actors, including nation-states and their proxies, critical infrastructure owners and operators should take immediate steps to strengthen their computer network defenses. These actors have the capability to leverage network access for targeted operations with the potential to disrupt critical infrastructure functions.

What Actions are Recommended for Water and Wastewater Systems?

Water and wastewater system owners and operators should review the attached joint advisory and assess how to apply the recommended detection, incident response, and mitigation actions to their operations. Key actions for water and wastewater systems include the following:

- Require Strong, Unique Passwords. Malicious cyber actors repeatedly use stolen or easily guessed credentials. Consider forcing a global reset of all passwords in your environment before staff begin taking time off.
- 2) <u>Implement Multi-Factor Authentication</u>. After changing passwords, make implementing multi-factor authentication (MFA) a priority. MFA significantly reduces your risk from almost all opportunistic attempts to gain entry into your systems.
- 3) Address known exploited vulnerabilities. This could include patching and/or additional controls such as network segmentation to protect vulnerable devices that cannot effectively be patched. CISA maintains a catalog of Known Exploited Vulnerabilities that utilities are encouraged to review to identify vulnerable systems. Also, prioritize network segmentation to prevent unauthorized access to your operational technology (OT) systems from the internet and to reduce connectivity between OT and vulnerable information technology (IT) systems.
- 4) <u>Surge Support</u>. Identify surge support for responding to an incident. Malicious cyber actors are known to target organizations on weekends and holidays when there are gaps in organizational cybersecurity.

- 5) Network/Systems Awareness. Be alert for unusual behavior in OT and IT systems, such as unexpected reboots of digital controllers and other OT hardware and software, and delays or disruptions in communication with field equipment or other OT devices. Enhance logging to investigate anomalous activity including collecting more logs and increasing storage capacity and retention time.
- 6) **Backup Data.** Implement and test data backup procedures on both IT and OT networks and ensure copies of backups are isolated (stored offline) from the network.
- 7) <u>Incident Response Plans</u>. Create, maintain, and exercise a cyber incident response and continuity of operations plans.
- 8) <u>Manual Operations</u>. Have a resilience plan that addresses how to operate your system if you lose access to or control of critical OT or IT systems including the ability to sustain manual operations for extended periods.

How Can I Learn More About the CISA/FBI/NSA Joint Advisory?

WaterISAC and EPA, in conjunction with water sector associations, will hold a TLP:AMBER webinar on the dates/times listed below to present and discuss the joint advisory. The webinar is intended for water and wastewater system owners and operators, along with state, local, tribal, and territorial (SLTT) government officials and private sector organizations that directly support water and wastewater system operations. Registration links for the webinar are provided. For those unable to join live, the webinar will be recorded and posted to the WaterISAC website for members and trial members.

- Date 1: Wednesday, December 29, 2021, 2:00 3:00 pm EST.
 Register: https://attendee.gotowebinar.com/register/8355582904364747792
- Date 2: Wednesday, January 5, 2022, 2:00 3:00 pm EST.
 Register: https://attendee.gotowebinar.com/register/5595566826088940559

Additional Resources

- Protecting Against Malicious Cyber Activity before the Holidays (White House; 12/16/21)
- <u>Joint Cybersecurity Advisory Ongoing Cyber Threats to U.S. Water and Wastewater Systems</u> (CISA, FBI, NSA, EPA; 10/14/21)
- WaterISAC's 15 Cybersecurity Fundamentals for Water and Wastewater Utilities
- U.S. EPA Cybersecurity Best Practices for the Water Sector
- AWWA Resources on Cybersecurity

WaterISAC Incident Reporting

WaterISAC encourages all utilities that have experienced malicious or suspicious activity to email analyst@waterisac.org, call 866-H2O-ISAC, or use the confidential online incident reporting form. Reporting to WaterISAC helps utilities and stakeholders stay aware of the threat environment of the sector.

TLP:AMBER Definition: Recipients may only share TLP:AMBER information with members of their own organization, and with clients or customers who need to know the information to protect themselves or prevent further harm. For more information on the Traffic Light Protocol, see https://www.cisa.gov/tlp.

▲_WΔTER

Co-Authored by:

TLP:AMBER

Product ID: A20-350B

December 16, 2021







Understanding and Mitigating Russian State-Sponsored Cyber Threats to U.S. Critical Infrastructure

SUMMARY

This joint Cybersecurity Advisory (CSA)—authored by the Cybersecurity and Infrastructure Security Agency (CISA), Federal Bureau of Investigation (FBI), and National Security Agency (NSA)—provides an overview of Russian statesponsored cyber operations; commonly observed tactics, techniques, and procedures (TTPs); detection actions; incident response guidance; and mitigations. This overview is intended to help the cybersecurity community reduce the risk presented by these threats.

CISA, the FBI, and NSA encourage the cybersecurity community—especially critical infrastructure network defenders—to adopt a heightened state of awareness and to conduct proactive threat hunting, as outlined in the Detection section. Additionally, CISA, the FBI, and NSA strongly urge

Actions critical infrastructure organizations should implement to immediately strengthen their cyber posture.

- Patch all systems. Prioritize patching <u>known exploited</u> <u>vulnerabilities</u>.
- Implement multi-factor authentication.
- Use antivirus software.
- Develop internal contact lists and surge support.

network defenders to implement the recommendations listed below and detailed in the <u>Mitigations</u> section. These mitigations will help organizations improve their functional resilience by reducing the risk of compromise or severe business degradation.

 Be prepared. Confirm reporting processes and minimize personnel gaps in IT/IO security coverage. Create, maintain, and exercise a cyber incident response plan, resilience plan, and

To report suspicious or criminal activity related to information found in this Joint Cybersecurity Advisory, contact your local FBI field office at www.fbi.gov/contact-us/field, or the FBI's 24/7 Cyber Watch (CyWatch) at (855) 292-3937 or by e-mail at CyWatch@fbi.gov. When available, please include the following information regarding the incident: date, time, and location of the incident; type of activity; number of people affected; type of equipment used for the activity; the name of the submitting company or organization; and a designated point of contact. To request incident response resources or technical assistance related to these threats, contact CISA at CISAServiceDesk@cisa.dhs.gov. For NSA client requirements or general cybersecurity inquiries, contact the Cybersecurity Requirements Center at 410-854-4200 or Cybersecurity_Requests@nsa.gov.

DISCLAIMER: This document is distributed as TLP:AMBER. Recipients may only share TLP:AMBER information with members of their own organization, and with clients or customers who need to know the information to protect themselves or prevent further harm. Sources are at liberty to specify additional intended limits of the sharing: these must be adhered to. For more information on the Traffic Light Protocol, see https://www.cisa.gov/tlp.



- continuity of operations plan so that critical functions and operations can be kept running if technology systems are disrupted or need to be taken offline.
- Enhance your organization's cyber posture. Follow best practices for identity and access management, protective controls and architecture, and vulnerability and configuration management.
- Increase organizational vigilance. Stay current on reporting on this threat. <u>Subscribe</u> to CISA's <u>mailing list and feeds</u> to receive notifications when CISA releases information about a security topic or threat.

CISA, the FBI, and NSA encourage critical infrastructure organization leaders to review CISA Insights: <u>Preparing for and Mitigating Cyber Threats</u> for information on reducing cyber threats to their organization.

TECHNICAL DETAILS

Note: this advisory uses the MITRE ATT&CK® for Enterprise framework, version 10. See the <u>ATT&CK</u> for Enterprise for all referenced threat actor tactics and techniques.

Historically, Russian state-sponsored advanced persistent threat (APT) actors have used common but effective tactics—including spearphishing, brute force, and exploiting known vulnerabilities against accounts and networks with weak security—to gain initial access to target networks. Vulnerabilities known to be exploited by Russian state-sponsored APT actors for initial access include:

- CVE-2018-13379 FortiGate VPNs
- CVE-2019-1653 Cisco router
- CVE-2019-2725 Oracle WebLogic Server
- CVE-2019-7609 Kibana
- CVE-2019-9670 Zimbra software
- CVE-2019-10149 Exim Simple Mail Transfer Protocol
- CVE-2019-11510 Pulse Secure
- CVE-2019-19781 Citrix
- CVE-2020-0688 Microsoft Exchange
- CVE-2020-4006 VMWare (note: this was a zero-day at time.)
- CVE-2020-5902 F5 Big-IP
- CVE-2020-14882 Oracle WebLogic
- <u>CVE-2021-26855</u> Microsoft Exchange (Note: this vulnerability is frequently observed used in conjunction with <u>CVE-2021-26857</u>, <u>CVE-2021-26858</u>, and <u>CVE-2021-27065</u>)

Russian state-sponsored APT actors have also demonstrated sophisticated tradecraft and cyber capabilities by compromising third-party infrastructure, compromising third-party software, or developing and deploying custom malware. The actors have also demonstrated the ability to maintain persistent, undetected, long-term access in compromised environments—including cloud environments—by using legitimate credentials.

In some cases, Russian state-sponsored cyber operations against critical infrastructure organizations have specifically targeted operational technology (OT)/industrial control systems (ICS) networks with

CISA | FBI | NSA

TLP:AMBER

destructive malware. See the following advisories and alerts for information on historical Russian state-sponsored cyber-intrusion campaigns and customized malware that have targeted ICS:

- ICS Advisory ICS Focused Malware Havex
- ICS Alert Ongoing Sophisticated Malware Campaign Compromising ICS (Update E)
- ICS Alert Cyber-Attack Against Ukrainian Critical Infrastructure
- Technical Alert CrashOverride Malware
- CISA MAR HatMan: Safety System Targeted Malware (Update B)
- CISA ICS Advisory Schneider Electric Triconex Tricon (Update B)

Russian state-sponsored APT actors have used sophisticated cyber capabilities to target a variety of U.S. and international critical infrastructure organizations, including those in the Defense Industrial Base as well as the Healthcare and Public Health, Energy, Telecommunications, and Government Facilities Sectors. High-profile cyber activity publicly attributed to Russian state-sponsored APT actors by U.S. government reporting and legal actions includes:

- Russian state-sponsored APT actors targeting state, local, tribal, and territorial (SLTT) governments and aviation networks, September 2020, through at least December 2020.
 Russian state-sponsored APT actors targeted dozens of SLTT government and aviation networks. The actors successfully compromised networks and exfiltrated data from multiple victims.
- Russian state-sponsored APT actors' global Energy Sector intrusion campaign, 2011 to 2018. Russian state-sponsored APT actors conducted a multi-stage intrusion campaign in which they gained remote access to U.S. and international Energy Sector networks, deployed ICS-focused malware, and collected and exfiltrated enterprise and ICS-related data.
- The Russian General Staff Main Intelligence Directorate's (GRU's) Main Center of Special Technologies (GTsST) campaign against Ukrainian critical infrastructure, 2015 and 2016. GTsST or Unit 74455 has previously been attributed as Sandworm Team by Mandiant, VOODOO BEAR by CrowdStrike, and ELECTRUM by Dragos. GTsST actors conducted a cyberattack against Ukrainian energy distribution companies, leading to multiple companies experiencing unplanned power outages in December 2015. The actors deployed BlackEnergy malware to steal user credentials and used its destructive malware component, KillDisk, to make infected computers inoperable. In 2016, GTsST actors conducted a cyber-intrusion campaign against a Ukrainian electrical transmission company and deployed CrashOverride malware specifically designed to attack power grids.

For more information on recent and historical Russian state-sponsored malicious cyber activity, see the referenced products below or the CISA webpage <u>cisa.gov/Russia</u>.

- Joint FBI-DHS-CISA CSA <u>Russian Foreign Intelligence Service (SVR) Cyber Operations:</u> Trends and Best Practices for Network Defenders
- Joint NSA-FBI-CISA CSA <u>Russian GRU Conducting Global Brute Force Campaign to Compromise Enterprise and Cloud Environments</u>
- Joint FBI-CISA CSA Russian APT Actors Compromise U.S. Government Targets

- Joint CISA-FBI CSA <u>APT Actors Chaining Vulnerabilities against SLTT, Critical Infrastructure,</u> and Elections Organizations
- CISA's webpage <u>Remediating Networks Affected by the SolarWinds and Active</u> Directory/M365 Compromise
- CISA Alert <u>Russian Government Cyber Activity Targeting Energy Sector and Other Critical</u> Infrastructure <u>Sectors</u>
- CISA ICS: Alert Cyber-Attack Against Ukrainian Critical Infrastructure

Table 1 provides common, publicly known TTPs employed by Russian state-sponsored APT actors, which map to the MITRE ATT&CK for Enterprise framework, version 10. **Note**: these lists are not intended to be all inclusive. Russian state-sponsored actors have modified their TTPs before based on public reporting.[1] Therefore, CISA, the FBI, and NSA anticipate the Russian state-sponsored actors may modify their TTPs as they deem necessary to reduce their risk of detection.

Table 1: Common Tactics and Techniques Employed by Russian State-Sponsored APT Actors

Tactic	Technique	Procedure
Reconnaissance [TA0043]	Active Scanning: Vulnerability Scanning [T1595.002]	Russian state-sponsored APT actors have performed large- scale scans in an attempt to find vulnerable servers.
	Phishing for Information [T1598]	Russian state-sponsored APT actors have conducted spearphishing campaigns to gain credentials of target networks.
Resource Development [TA0042]	Develop Capabilities: Malware [T1587.001]	Russian state-sponsored APT actors have developed and deployed malware, including ICS-focused destructive malware.
Initial Access [TA0001]	Exploit Public Facing Applications [T1190]	Russian state-sponsored APT actors use publicly known vulnerabilities, as well as zero-days, in internet-facing systems to gain access to networks.
	Supply Chain Compromise: Compromise Software Supply Chain [T1195.002]	Russian state-sponsored APT actors have gained initial access to victim organizations by compromising trusted third-party software. Notable incidents include M.E.Doc accounting software and SolarWinds Orion.
Execution [TA0002]	Command and Scripting Interpreter: PowerShell [T1059.003] and Windows Command Shell [T1059.003]	Russian state-sponsored APT actors have used cmd.exe to execute commands on remote machines. They have also used PowerShell to create new tasks on remote machines, identify configuration settings, exfiltrate data, and to execute other commands.

TLP:AMBER
CISA | FBI | NSA

Tactic	Technique	Procedure
Persistence [TA0003]	Valid Accounts [T1078]	Russian state-sponsored APT actors have used credentials of existing accounts to maintain persistent, long-term access to compromised networks.
Credential Access [TA0006]	Brute Force: Password Guessing [T1110.001] and Password Spraying [T1110.003]	Russian state-sponsored APT actors have conducted brute- force password guessing and password spraying campaigns.
	OS Credential Dumping: NTDS [T1003.003]	Russian state-sponsored APT actors have exfiltrated credentials and exported copies of the Active Directory database ntds.dit .
	Steal or Forge Kerberos Tickets: Kerberoasting [T1558.003]	Russian state-sponsored APT actors have performed "Kerberoasting," whereby they obtained the Ticket Granting Service (TGS) Tickets for Active Directory Service Principal Names (SPN) for offline cracking.
	Credentials from Password Stores [T1555]	Russian state-sponsored APT actors have used previously compromised account credentials to attempt to access Group Managed Service Account (gMSA) passwords.
	Exploitation for Credential Access [T1212]	Russian state-sponsored APT actors have exploited Windows Netlogon vulnerability CVE-2020-1472 to obtain access to Windows Active Directory servers.
	Unsecured Credentials: Private Keys [T1552.004]	Russian state-sponsored APT actors have obtained private encryption keys from the Active Directory Federation Services (ADFS) container to decrypt corresponding SAML signing certificates.
Command and Control [TA0011]	Proxy: Multi-hop Proxy [T1090.003]	Russian state-sponsored APT actors have used virtual private servers (VPSs) to route traffic to targets. The actors often use VPSs with IP addresses in the home country of the victim to hide activity among legitimate user traffic.

For additional enterprise TTPs used by Russian state-sponsored APT actors, see the ATT&CK for Enterprise pages on <u>APT29</u>, <u>APT28</u>, and the <u>Sandworm Team</u>, respectively. For information on ICS TTPs see the <u>ATT&CK for ICS</u> pages on the <u>Sandworm Team</u>, <u>BlackEnergy</u> malware, <u>CrashOveride</u> malware, <u>BlackEnergy</u>'s <u>KillDisk</u> component, and <u>NotPetya</u> malware.

DETECTION

Given Russian state-sponsored APT actors demonstrated capability to maintain persistent, long-term access in compromised enterprise and cloud environments, CISA, the FBI, and NSA encourage all critical infrastructure organizations to:

- Implement robust log collection and retention. Without a centralized log collection and monitoring capability, organizations have limited ability to investigate incidents or detect the threat actor behavior described in this advisory. Depending on the environment, examples include:
 - o Native tools such as M365's Sentinel.
 - Third-party tools, such as Sparrow, Hawk, or CrowdStrike's Azure Reporting Tool (CRT), to review Microsoft cloud environments and to detect unusual activity, service principals, and application activity. **Note**: for guidance on using these and other detection tools, refer to CISA Alert Detecting Post-Compromise Threat Activity in Microsoft Cloud Environments.
- Look for behavioral evidence or network and host-based artifacts from known Russian state-sponsored TTPs. See table 1 for commonly observed TTPs.
 - To detect password spray activity, review authentication logs for system and application login failures of valid accounts. Look for multiple, failed authentication attempts across multiple accounts.
 - To detect use of compromised credentials in combination with a VPS, follow the below steps:
 - Look for suspicious "impossible logins," such as logins with changing username, user agent strings, and IP address combinations or logins where IP addresses do not align to the expected user's geographic location.
 - Look for one IP used for multiple accounts, excluding expected logins.
 - Look for "impossible travel." Impossible travel occurs when a user logs in from multiple IP addresses that are a significant geographic distance apart (i.e., a person could not realistically travel between the geographic locations of the two IP addresses during the time period between the logins). Note: implementing this detection opportunity can result in false positives if legitimate users apply VPN solutions before connecting into networks.
 - Look for processes and program execution command-line arguments that may indicate credential dumping, especially attempts to access or copy the ntds.dit file from a domain controller.
 - Look for suspicious privileged account use after resetting passwords or applying user account mitigations.
 - Look for unusual activity in typically dormant accounts.
 - Look for unusual user agent strings, such as strings not typically associated with normal user activity, which may indicate bot activity.



- For organizations with OT/ICS systems:
 - Take note of unexpected equipment behavior; for example, unexpected reboots of digital controllers and other OT hardware and software.
 - Record delays or disruptions in communication with field equipment or other OT devices. Determine if system parts or components are lagging or unresponsive.

INCIDENT RESPONSE

Organizations detecting potential APT activity in their IT or OT networks should:

- 1. Immediately isolate affected systems.
- 2. Secure backups. Ensure your backup data is offline and secure. If possible, scan your backup data with an antivirus program to ensure it is free of malware.
- 3. Collect and review relevant logs, data, and artifacts.
- 4. Consider soliciting support from a third-party IT organization to provide subject matter expertise, ensure the actor is eradicated from the network, and avoid residual issues that could enable follow-on exploitation.
- 5. Report incidents to <u>CISA</u> and/or the FBI via your <u>local FBI field office</u> or the FBI's 24/7 CyWatch at (855) 292-3937 or <u>CyWatch@fbi.gov</u>.

Note: for OT assets, organizations should have a resilience plan that addresses how to operate if you lose access to—or control of—the IT and/or OT environment. Refer to the <u>Mitigations</u> section for more information.

See the joint advisory from Australia, Canada, New Zealand, the United Kingdom, and the United States on Technical Approaches to Uncovering and Remediating Malicious Activity for guidance on hunting or investigating a network, and for common mistakes in incident handling. CISA, the FBI, and NSA encourage critical infrastructure owners and operators to see CISA's Federal Government Cybersecurity Incident and Vulnerability Response Playbooks. Although tailored to federal civilian branch (FCEB) agencies, these playbooks provide operational procedures for planning and conducting cybersecurity incident and vulnerability response activities and detail each step for both incident and vulnerability response.

Note: organizations should document incident response procedures in a cyber incident response plan, which organizations should create and exercise (as noted in the <u>Mitigations</u> section).



MITIGATIONS

CISA, the FBI, and NSA encourage all organizations to implement the following recommendations to increase their cyber resilience against this threat.

Be Prepared

Confirm Reporting Processes and Minimize Coverage Gaps

- Develop internal contact lists. Assign main points of contact for a suspected incident as well
 as roles and responsibilities and ensure personnel know how and when to report an incident.
- Minimize gaps in IT/OT security personnel availability by identifying surge support for
 responding to an incident. Malicious cyber actors are known to target organizations on
 weekends and holidays when there are gaps in organizational cybersecurity—critical
 infrastructure organizations should proactively protect themselves by minimizing gaps in
 coverage.
- Ensure IT/OT security personnel monitor key internal security capabilities and can identify anomalous behavior. Flag any identified IOCs and TTPs for immediate response. (See table 1 for commonly observed TTPs).

Create, Maintain, and Exercise a Cyber Incident Response, Resilience Plan, and Continuity of Operations Plan

- Create, maintain, and exercise a cyber incident response and continuity of operations plan.
- Ensure personnel are familiar with the key steps they need to take during an incident and are positioned to act in a calm and unified manner. Key questions:
 - o Do personnel have the access they need?
 - o Do they know the processes?
- For OT assets/networks,
 - Identify a resilience plan that addresses how to operate if you lose access to—or control of—the IT and/or OT environment.
 - Identify OT and IT network interdependencies and develop workarounds or manual controls to ensure ICS networks can be isolated if the connections create risk to the safe and reliable operation of OT processes. Regularly test contingency plans, such as manual controls, so that safety critical functions can be maintained during a cyber incident. Ensure that the OT network can operate at necessary capacity even if the IT network is compromised.
 - Regularly test manual controls so that critical functions can be kept running if ICS or OT networks need to be taken offline.
 - Implement data backup procedures on both the IT and OT networks. Backup procedures should be conducted on a frequent, regular basis. Regularly test backup procedures and ensure that backups are isolated from network connections that could enable the spread of malware.

 In addition to backing up data, develop recovery documents that include configuration settings for common devices and critical OT equipment. This can enable more efficient recovery following an incident.

Enhance your Organization's Cyber Posture

CISA, the FBI, and NSA recommend organizations apply the best practices below for identity and access management, protective controls and architecture, and vulnerability and configuration management.

Identity and Access Management

- Require multi-factor authentication for all users, without exception.
- Require accounts to have strong passwords and do not allow passwords to be used across
 multiple accounts or stored on a system to which an adversary may have access.
- Secure credentials. Russian state-sponsored APT actors have demonstrated their ability to maintain persistence using compromised credentials.
 - Use virtualizing solutions on modern hardware and software to ensure credentials are securely stored.
 - Disable the storage of clear text passwords in LSASS memory.
 - Consider disabling or limiting New Technology Local Area Network Manager (NTLM) and WDigest Authentication.
 - Implement Credential Guard for Windows 10 and Server 2016 (Refer to Microsoft: <u>Manage Windows Defender Credential Guard</u> for more information). For Windows Server 2012R2, enable Protected Process Light for Local Security Authority (LSA).
 - Minimize the AD attack surface to reduce malicious ticket-granting activity. Malicious
 activity such as "Kerberoasting" takes advantage of Kerberos' TGS and can be used to
 obtain hashed credentials that attackers attempt to crack.
- Set a strong password policy for service accounts.
- Audit Domain Controllers to log successful Kerberos TGS requests and ensure the events are monitored for anomalous activity.
 - Secure accounts.
 - Enforce the principle of least privilege. Administrator accounts should have the minimum permission they need to do their tasks.
 - Ensure there are unique and distinct administrative accounts for each set of administrative tasks.
 - Create non-privileged accounts for privileged users and ensure they use the non-privileged accounts for all non-privileged access (e.g., web browsing, email access).

Protective Controls and Architecture

Identify, detect, and investigate abnormal activity that may indicate lateral movement by a
threat actor or malware. Use network monitoring tools and host-based logs and monitoring
tools, such as an endpoint detection and response (EDR) tool. EDR tools are particularly

useful for detecting lateral connections as they have insight into common and uncommon network connections for each host.

- Enable strong spam filters.
 - o Enable strong spam filters to prevent phishing emails from reaching end users.
 - o Filter emails containing executable files to prevent them from reaching end users.
 - Implement a user training program to discourage users from visiting malicious websites or opening malicious attachments.

Note: CISA, the FBI, and NSA also recommend, as a longer-term effort, that critical infrastructure organizations implement network segmentation to separate network segments based on role and functionality. Network segmentation can help prevent lateral movement by controlling traffic flows between—and access to—various subnetworks.

- Appropriately implement network segmentation between IT and OT networks. Network segmentation limits the ability of adversaries to pivot to the OT network even if the IT network is compromised. Define a demilitarized zone that eliminates unregulated communication between the IT and OT networks.
- Organize OT assets into logical zones by taking into account criticality, consequence, and operational necessity. Define acceptable communication conduits between the zones and deploy security controls to filter network traffic and monitor communications between zones.
 Prohibit ICS protocols from traversing the IT network.

Vulnerability and Configuration Management

- Update software, including operating systems, applications, and firmware on IT network
 assets, in a timely manner. Prioritize patching known exploited vulnerabilities, especially those
 CVEs identified in this CSA, and then critical and high vulnerabilities that allow for remote
 code execution or denial-of-service on internet-facing equipment.
 - Consider using a centralized patch management system. For OT networks, use a riskbased assessment strategy to determine the OT network assets and zones that should participate in the patch management program.
 - Consider signing up for CISA's <u>cyber hygiene services</u>, including vulnerability scanning, to help reduce exposure to threats. CISA's vulnerability scanning service evaluates external network presence by executing continuous scans of public, static IP addresses for accessible services and vulnerabilities.
- Use industry recommended antivirus programs.
 - Set antivirus/antimalware programs to conduct regular scans of IT network assets using up-to-date signatures.
 - Use a risk-based asset inventory strategy to determine how OT network assets are identified and evaluated for the presence of malware.
- Implement rigorous configuration management programs. Ensure the programs can track and mitigate emerging threats. Review system configurations for misconfigurations and security weaknesses.



CISA | FBI | NSA

TLP:AMBER

- Disable all unnecessary ports and protocols
 - Review network security device logs and determine whether to shut off unnecessary ports and protocols. Monitor common ports and protocols for command and control (C2) activity.
 - Turn off or disable any unnecessary services (e.g., PowerShell) or functionality within devices.
- Ensure OT hardware is in read-only mode.

Increase Organizational Vigilance

• Regularly review reporting on this threat. Consider <u>signing up</u> for CISA notifications to receive timely information on current security issues, vulnerabilities, and high-impact activity.

RESOURCES

- For more information on Russian state-sponsored malicious cyber activity, refer to cisa.gov/Russia.
- Refer to CISA Analysis Report <u>Strengthening Security Configurations to Defend Against</u>
 <u>Attackers Targeting Cloud Services</u> for steps for guidance on strengthening your organizations cloud security practices.
- Leaders of small businesses and small and local government agencies should see <u>CISA's</u>
 <u>Cyber Essentials</u> for guidance on developing an actionable understanding of implementing
 organizational cybersecurity practices.
- Critical infrastructure owners and operators with OT/ICS networks, should review the following resources for additional information:
 - NSA and CISA joint CSA NSA and CISA Recommend Immediate Actions to Reduce Exposure Across Operational Technologies and Control Systems
 - CISA factsheet Rising Ransomware Threat to Operational Technology Assets for additional recommendations.

REWARDS FOR JUSTICE PROGRAM

If you have information on state-sponsored Russian cyber operations targeting U.S. critical infrastructure, contact the Department of State's Rewards for Justice Program. You may be eligible for a reward of up to \$10 million, which DOS is offering for information leading to the identification or location of any person who, while acting under the direction or control of a foreign government, participates in malicious cyber activity against U.S. critical infrastructure in violation of the Computer Fraud and Abuse Act (CFAA). Contact +1-202-702-7843 on WhatsApp, Signal, or Telegram, or send information via the Rewards for Justice secure Tor-based tips line located on the Dark Web. For more details refer to rewardsforjustice.net/malicious_cyber_activity.

CYBERSECURITY ADVISORY

TLP:AMBER

CISA | FBI | NSA

CAVEATS

The information you have accessed or received is being provided "as is" for informational purposes only. CISA, the FBI, and NSA do not endorse any commercial product or service, including any subjects of analysis. Any reference to specific commercial products, processes, or services by service mark, trademark, manufacturer, or otherwise, does not constitute or imply endorsement, recommendation, or favoring by CISA, the FBI, or NSA.

REFERENCES

[1] Joint NCSC-CISA UK Advisory: Further TTPs Associated with SVR Cyber Actors https://www.ncsc.gov.uk/news/joint-advisory-further-ttps-associated-with-svr-cyber-actors