TOWN OF BRISTOL Work in Right-of-Way and Access Permit

Office Use Only	
Permit #: 25-705 Parcel #: 235019 Town Highway #: 332	
Date Received: 3/20/2025 Fee Paid: \$200.00 #	27
Check all that apply: [X] Work in Right-of-Way [X] Access Permit (Curb Cut)	
A fee of \$100 payable to the Town of Bristol for each application must be submitted.	
A permit to work within the Town's right-of-way must be obtained by anyone wishing to use or work within any part of the Town's right-of-way, including but not limited to: curb cut access, water line repair. new water line connection, work on a Class 4 road, and/or projects that affect public sidewalks	i .
Please provide a sketch on a separate sheet of paper of the parcel and road frontage indicating the location of the proposed project, and other pertinent information, such as: existing accesses, the Town Highway, buildings, drainage ditches, fences, utility poles, and trees or plantings, etc. that may impair visibility; and other information that may be relevant.	
Applicant HCLEN Abby HUMMEC Phone 802-349-8611	
Mailing address 18 GARFIELD ST, BRISTOL, VT 05443	
Ivianning address	
E-mail address ABBYHUMMEC146 COMAIL, COM	
Landowner Name HELEN ABBY HUMMEL	
Property location 18 GARFIELD St., BRISTOL	
Town Road Name: <u>LAWRENCE LANE</u> Town Highway #: <u>399</u>	
Company/Individual performing work:	
Name HOME OWNER Phone: 802, 349 - 8611	
Address:	
Work in Right-of-Way	
Describe project (including length, width & depth of proposed excavation)	
Describe project (including length, width & depth of proposed excavation) Smooth area of Grass + Dirt on Proferty	
Date of start of work Date of completion	
The applicant agrees to maintain said access and to adhere to the terms and conditions attached to this	
permit. In the event all conditions of the access permit are not met within one year the town shall be authorized to affect those conditions at the landowner's expense. Please see attached terms.	
authorized to affect those conditions at the landowner's expense. I lease see attached terms.	

TOWN OF BRISTOL Work in Right-of-Way and Access Permit

Road Frontage of Parcel (number of feet):
Proposed Use of Driveway (check all that apply): [] Agricultural
I represent that the information contained in this application is true and that I am authorized to file this application. Applicant's signature 3/20/25 Date
Conditions per order of the Public Works Foreman:
needs to be flush with mad, when it gets coverted into a chrowny
there must be 12" of crush graved for the width of Inversey 10' back from
Clase of road, it must be Clash with the parement, no more than a his grade Do the 10 feet. Driveway will be \$\pi \text{minion 10' wide, no colvect is needed} Some brush may need to be trim med per road comman's advisement. Driveway must be shower to serman when completed. 2-25-25 Public Works Foreman (or designee) signature Date Date All access permit applications require Selectboard approval. Action by Selectboard: Approved [] Denied [] Date:
Conditions of approval:
Authorized Signature: Date: Title:

TOWN OF BRISTOL Work in Right-of-Way and Access Permit

The applicant agrees to the following terms upon submission of this application:

- 1. They assume all responsibility for damage to persons and property resulting from the process of such work and to hold the Town of Bristol harmless.
- 2. They agree to replace the surface of the street/road/sidewalk in as good a condition as it was at the time work began.
- 3. They agree to properly light and barricade the excavation during the process of work.
- 4. They must always maintain one lane of traffic, and notify highway, fire, rescue and police each day. They must adhere to all MUTCD standards regarding signage and traffic control.
- 5. Work affecting or obstructing a sidewalk must adhere to all MUTCD standards regarding signage, safety, and alternate passage.
- 6. All excavation will be filled immediately after the job is completed with gravel, hot mix or cold patch as outlined by Public Works Foreman or his/her designee.
- 7. Sleeves installed under the road may be cast iron, ductile iron, schedule 40 PVC, or other material as approved by Public Works Foreman or his/her designee.
 - a. Sleeve under road shall be supported with 3/4" stone.
 - b. Sand shall extend from middle of sleeve to one foot above it.
 - c. Common fill may be used to fill the excavation up to the base material of the road, but 1 ½' of bank run gravel shall be laid on top of the common fill and covered with 3" of crushed gravel and 4" of hot mix in two lifts.
 - d. All fill materials shall be compacted every 6".
 - e. Sleeve shall be backfilled with clean fill to not exceed 2" in size.
 - f. Any excavation within right-of-way must be filled in one workday and prior to 8 pm.
 - g. Alternatively, the excavation may be filled to grade with 7" of crushed gravel to allow for compaction over a two-week period. At the end of two weeks, the crushed gravel must be dug out to 4" below adjoining pavement grade, and the area filled with 4" of hot mix compacted in two lifts. [Applicant shall be responsible for maintaining fill during this two-week period.]
 - h. All pavement must be guaranteed for one year from date of completion.
 - i. The Town of Bristol is not responsible for any failure of a sleeve within the highway right- of-way.
 - j. Applicant shall be responsible for notifying the following agencies 48 hours prior to the beginning of excavation with the Town's right-of-way:
 - -Dig-Safe
 - -Town of Bristol Public Works Department 453-4707
 - -Town of Bristol Water or Wastewater Department 453-2410 (if applicable)
- 8. If a new driveway or culvert is to be constructed, an existing driveway widened, resurfaced or changed is use (e.g. residential to commercial use) a Town Access Permit is also required.



VT Interactive Map Viewer

Vermont Center for Geographic Information

vermont.gov



THIS MAP IS NOT TO BE USED FOR NAVIGATION



LEGEND

Parcel polygons Inactive parcels

- **→** Airports
- Rail Lines
 - Town Boundaries
- County Boundaries
- Buildings
- Village Boundaries
- o proposed development



NOTES

This map was created with the VT Interactive Map Viewer.

0.05 0 0.03 0.05 Miles

WGS_1984_Web_Mercator_Auxiliary_Sphere 1" = 139 Ft. 1cm = 17

© Vermont Center For Geographic Information

0.05 Miles
DISCLAIMER: This map is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. VCGI and the State of Vermont make no representations of any kind, including but not limited to, the warranties of merchantability, or fitness for a particular use, nor JSED FOR NAVIGATION

DISCLAIMER: This map is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. VCGI and the State of Vermont make no representations of any kind, including but not limited to, the warranties of merchantability, or fitness for a particular use, nor are any such warranties to be implied with respect to the data on this map.